

# SAFETY DATA SHEET



Revision Date	06-Dec-2015***	product code	TP14
Version / Revision	3 .00	Issuing date	16-Dec-2015
Supersedes Version	2.00***		

## TOPAS® Elastomer E-140

### SECTION 1: Identification of the substance / mixture and of the company / undertaking

#### 1.1. Product identifier

Identification of the substance/preparation

## TOPAS® Elastomer E-140

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance / Preparation	injection molding articles for optical industry, packaging Industry, medical articles.
------------------------------------	--

#### 1.3. Details of the supplier of the safety data sheet

Company/Undertaking Identification	TOPAS Advanced Polymers GmbH Paulistrasse 3 65929 Frankfurt Germany
------------------------------------	--

Product Information	+49 (0)1805-1-86727
---------------------	---------------------

#### 1.4. Emergency telephone number

Emergency telephone number	+49 (0)69-305 6418
----------------------------	--------------------

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### 2.2. Label elements

Not required.\*\*\*

#### 2.3. Other hazards

Contact with product at elevated temperatures can result in thermal burns

### SECTION 3: Composition / information on ingredients

#### Chemical characterization

contains ethylene-norbornene copolymer (CAS 26007-43-2)

# SAFETY DATA SHEET



Revision Date  
Version / Revision

06-Dec-2015\*\*\*  
3 .00

product code TP14

## TOPAS® Elastomer E-140

### Remarks

The following specific grades of TOPAS are covered by this MSDS:

TOPAS Elastomer E-140

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General advice

Remove/Take off immediately all contaminated clothing. Wash/Decontaminate removed clothing before reuse.

#### Inhalation

Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

#### Eyes

Resin particles, like other inert materials, are mechanically irritating to eyes. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.

#### Skin

Cool skin rapidly with cold water after contact with molten polymer. If polymer is stuck to skin, do not remove. Allow adhered polymer to come off naturally. Removal of adhered polymer may result in more tissue damages than if polymer is allowed to come off over time. When symptoms persist or in all cases of doubt seek medical advice.

#### Ingestion

Do not induce vomiting without medical advice. Obtain medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Main symptoms

None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

This product is essentially inert and non-toxic. Under conditions of thermal decomposition irritant gases may be formed. Exposed patients may need to have their arterial blood gases and carboxyhemoglobin levels checked\*\*\*

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

water spray, foam, dry chemical, carbon dioxide (CO<sub>2</sub>)

#### Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

# SAFETY DATA SHEET



Revision Date  
Version / Revision

06-Dec-2015\*\*\*  
3 .00

product code TP14

---

## TOPAS® Elastomer E-140

Under conditions giving incomplete combustion, hazardous gases produced may consist of:  
carbon monoxide (CO)  
carbon dioxide (CO<sub>2</sub>)  
Combustion gases of organic materials must in principle be graded as inhalation poisons

### 5.3. Advice for firefighters

#### Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

#### Precautions for firefighting

Cool closed containers exposed to fire with water spray. Keep people away from and upwind of fire. Dike and collect water used to fight fire.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Do not breathe dust. Keep people away from and upwind of spill/leak.  
For emergency responders: Personal protection see section 8.

### 6.2. Environmental precautions

Not readily biodegradable. Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

#### Methods for containment

Stop the flow of material, if possible without risk.

#### Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Like most thermoplastic plastics the product can be recycled. Dispose of in accordance with local regulations.

### 6.4. Reference to other sections

For personal protective equipment see section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Do not handle hot or molten material without appropriate protective equipment. Do not exceed recommended process temperatures to minimize release of decomposition products.

# SAFETY DATA SHEET



Revision Date  
Version / Revision

06-Dec-2015\*\*\*  
3 .00

product code TP14

## TOPAS® Elastomer E-140

### Hygiene measures

Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing immediately.

### Advice on the protection of the environment

See Section 8: Environmental exposure controls.

### Incompatible products

No special restrictions on storage with other products

## 7.2. Conditions for safe storage, including any incompatibilities

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Dust can form an explosive mixture in air. Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges.

### Technical measures/Storage conditions

Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

## 7.3. Specific end use(s)

see section 1.2\*\*\*

## SECTION 8: Exposure controls / personal protection

### 8.1. Control parameters

#### Exposure limits European Union

No exposure limits established.

#### Exposure limits UK

##### EH40 WELs

Component	TWA (mg/m <sup>3</sup> )	TWA (ppm)	STEL (mg/m <sup>3</sup> )	STEL (ppm)
Dust, general threshold limit value (inhalable fraction) CAS: None	10			
Dust, general threshold limit value (respirable fraction) CAS: None	4			

#### DNEL & PNEC

# SAFETY DATA SHEET



Revision Date  
Version / Revision

06-Dec-2015\*\*\*  
3 .00

product code TP14

## TOPAS® Elastomer E-140

Not required.\*\*\*

### 8.2. Exposure controls

#### Engineering measures

Ensure adequate ventilation. Provide for appropriate exhaust ventilation and dust collection at machinery.

#### Personal protective equipment

##### General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe dust or mist. Ensure that eyewash stations and safety showers are close to the workstation location.

##### Hygiene measures

Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing immediately.

##### Eye protection

Tightly fitting safety goggles.  
Equipment should conform to EN 166

##### Hand protection

Heat resistant gloves.

**Suitable material**

leather gloves

##### Skin and body protection

Wear face-shield and protective suit for abnormal processing problems.

##### Respiratory protection

If the dust exposure limit is exceeded, wear dust mask or respirator with particle filter.

##### Thermal Hazard

When handling hot material, use heat resistant gloves. Heat only in areas with appropriate exhaust ventilation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	granules
<b>Colour</b>	colourless
<b>Odour</b>	odourless
<b>Odour threshold</b>	No data available
<b>pH</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Flammability (solid, gas)</b>	No data available
<b>Vapour pressure</b>	< 0.001 mm Hg @25°C (77 F)

# SAFETY DATA SHEET



Revision Date  
Version / Revision

06-Dec-2015\*\*\*  
3 .00

product code TP14

## TOPAS® Elastomer E-140

**Vapour density** No data available  
**Bulk density** 450 - 550 g/l  
**Method** DIN 53466

**Water solubility** insoluble  
**log Pow** No data available  
**Decomposition temperature** No data available

### 9.2. Other information

**VOC Content(%)** < 0.5 % (wt/wt)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

### 10.2. Chemical stability

Stable under normal conditions of handling, use and transportation.

### 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

### 10.4. Conditions to avoid

Avoid temperatures above 350 °C / 662F. Risk of decomposition.

### 10.5. Incompatible materials

oxidizing agents.

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapours.\*\*\*

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Note

No toxicology information is available. Handle in accordance with good industrial hygiene and safety practice.

# SAFETY DATA SHEET



Revision Date  
Version / Revision

06-Dec-2015\*\*\*  
3 .00

product code TP14

## TOPAS® Elastomer E-140

### SECTION 12: Ecological information

#### 12.1. Toxicity

No data available\*\*\*

#### 12.2. Persistence and degradability

No data available\*\*\*

#### 12.3. Bioaccumulative potential

No data available\*\*\*

#### 12.4. Mobility in soil

No data available\*\*\*

#### 12.5. Results of PBT and vPvB assessment

Not required\*\*\*

#### 12.6. Other adverse effects

No data available\*\*\*

#### Note

No information on ecology is available. According to our experience and to the information provided to us, the product does not have any harmful effects if it is used and handled as specified.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Product Information

Where possible recycling is preferred to disposal or incineration. May be taken to waste disposal site or incineration plant, with household waste. Rules of the local authorities must be observed.

##### Uncleaned empty packaging

Regulations concerning reuse or disposal of used packaging materials must be observed.

### SECTION 14: Transport information

#### ADR/RID

Not restricted

#### ICAO/IATA

Not restricted

# SAFETY DATA SHEET



Revision Date  
Version / Revision

06-Dec-2015\*\*\*  
3 .00

product code TP14

## TOPAS® Elastomer E-140

### IMDG

Not restricted

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### DI 2012/18/EU (Seveso III) \*\*\*

Category not subject\*\*\*

#### **Water contaminating class**

KBwS Class not water endangering\*\*\*  
KBwS Number 766\*\*\*  
KBwS Classification Annex I\*\*\*

#### International Inventories \*\*\*

The products covered by this SDS are permitted under the following inventories:

TSCA (US)  
AICS (AU)  
DSL (CA)  
IECSC (CN)  
EINECS (EU)  
ENCS (JP)  
KECI (KR)  
NZIoC (NZ)  
TCSI (TW)\*\*\*

## SECTION 16: Other information

Revision Date 06-Dec-2015\*\*\*  
Issuing date 16-Dec-2015

#### **Training advice**

For effective first-aid, special training / education is needed.

#### **Sources of key data used to compile the datasheet**

Information contained in this safety data sheet is based on TOPAS owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.



# SAFETY DATA SHEET



Revision Date  
Version / Revision

06-Dec-2015\*\*\*  
3 .00

product code **TP14**

---

## TOPAS® Elastomer E-140

### Further information for the safety data sheet

For more information, consult the Technical Data Sheet ([www.topas.com](http://www.topas.com)). Changes against the previous version are marked by \*\*\*.

### Disclaimer

This information is based on our present state of knowledge. It shall describe our products regarding safety requirements and shall not be construed as a guarantee or statement of condition and/or quality

*End of Safety Data Sheet*