

Material Safety Data Sheet



Revision Date **02-Jan-2010**
Revision Number **3.00**

product code **TP06**

Topas Toner

1.PRODUCT AND COMPANY IDENTIFICATION

Identification of the substance/preparation

Topas Toner

**Use of the Substance
/Preparation**

inks & paints.

Supplier

Topas Advanced Polymers, Inc.
8040 Dixie Hwy.
Florence, KY 41042
United States

Product Information

+49 (0)1805-1-86727

Emergency telephone number

in USA, call 800 424 9300
outside USA, call 703 527 3887, collect calls accepted

2. HAZARDS IDENTIFICATION

Emergency Overview

Product Description

Physical state	granules
Colour	colourless
Odour	odourless

OSHA Regulatory Status

This material is non-hazardous as defined by the American OSHA Hazard Communication Standard (29CFR 1910.1200).

Potential Health Effects

Principle Routes of Exposure

Inhalation, Eye contact, Skin contact.

Inhalation

No information available. May cause irritation of respiratory tract. Overheating in processing may generate hazardous, irritating vapours.

Eye contact

No information available. Hot or molten material has the potential to cause thermal burns. Resin particles, like other inert materials, are mechanically irritating to eyes.

Material Safety Data Sheet



Revision Date
Revision Number

02-Jan-2010
3.00

product code **TP06**

Topas Toner

Skin contact	No information available. Hot or molten material has the potential to cause thermal burns. Polymer particles may cause mechanical irritation.
Ingestion	No information available. Essentially non-toxic based on biological activity of high molecular weight polymers.
Main symptoms	None known.
Chronic effects	No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization	contains ethylene-norbornene copolymer (CAS 26007-43-2)
Remarks	The following specific grades of Topas are covered by this MSDS: Toner TB; Toner TM

4. FIRST AID MEASURES

General advice

Remove/Take off immediately all contaminated clothing. Wash/Decontaminate removed clothing before reuse.

Inhalation

Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

Skin

Cool skin rapidly with cold water after contact with molten polymer. If polymer is stuck to skin, do not remove. Allow adhered polymer to come off naturally. Removal of adhered polymer may result in more tissue damages than if polymer is allowed to come off over time. When symptoms persist or in all cases of doubt seek medical advice.

Eyes

Resin particles, like other inert materials, are mechanically irritating to eyes. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.

Ingestion

Do not induce vomiting without medical advice. Obtain medical attention.

Eyes

- Resin particles, like other inert materials, are mechanically irritating to eyes
- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes
- Obtain medical attention

Main symptoms

None known.

Material Safety Data Sheet



Revision Date
Revision Number

02-Jan-2010
3.00

product code TP06

Topas Toner

Notes to physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

water spray, foam, dry chemical, carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

Special exposure hazards arising from the substance or preparation itself, its combustion products, or released gases

Under conditions giving incomplete combustion, hazardous gases produced may consist of:

carbon monoxide (CO)

carbon dioxide (CO₂)

Combustion gases of organic materials must in principle be graded as inhalation poisons

Special protective equipment for fire-fighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

Precautions for fire-fighting

Cool closed containers exposed to fire with water spray. Keep people away from and upwind of fire. Dike and collect water used to fight fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid contact with skin and eyes. Do not breathe dust. Keep people away from and upwind of spill/leak.

Environmental precautions

Not readily biodegradable. Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

Methods for containment

Stop the flow of material, if possible without risk.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Like most thermoplastic plastics the product can be recycled. Dispose of in accordance with local regulations.

Material Safety Data Sheet



Revision Date
Revision Number

02-Jan-2010
3.00

product code TP06

Topas Toner

7. HANDLING AND STORAGE

Handling

Advice on safe handling

Do not handle hot or molten material without appropriate protective equipment. Do not exceed recommended process temperatures to minimize release of decomposition products.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Dust can form an explosive mixture in air. Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges.

Storage

Technical measures/Storage conditions

Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on common storage

No special restrictions on storage with other products

VCI Storage Class

11: Combustible solids

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits United States of America

US ACGIH

Component	TWA (mg/m ³)	TWA (ppm)	STEL (mg/m ³)	STEL (ppm)	Ceiling (mg/m ³)	Ceiling (ppm)
Dust, general threshold limit value (inhalable fraction) None	10					
Dust, general threshold limit value (respirable fraction) None	3					

US OSHA Specifically regulated substances

US OSHA Z-1

Component	Ceiling (mg/m ³)	Ceiling (ppm)	PEL (mg/m ³)	PEL (ppm)	Skin Designation
-----------	---------------------------------	------------------	-----------------------------	--------------	---------------------

Material Safety Data Sheet



Revision Date
Revision Number

02-Jan-2010
3.00

product code TP06

Topas Toner

Dust, general threshold limit value (inhalable fraction) None			15		
Dust, general threshold limit value (respirable fraction) None			5		

US OSHA Z-1A Revoked (1993)

Component	TWA (mg/m ³)	TWA (ppm)	STEL (mg/m ³)	STEL (ppm)	Ceiling (mg/m ³)	Ceiling (ppm)	Skin Designation
Dust, general threshold limit value (inhalable fraction) None	15						
Dust, general threshold limit value (respirable fraction) None	5						

Engineering measures

Ensure adequate ventilation. Provide for appropriate exhaust ventilation and dust collection at machinery.

Personal protective equipment

General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe dust or mist. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures

Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing immediately.

Respiratory protection

Based on workplace contaminant levels and working limits of the respirator, use a respirator approved by NIOSH

Hand protection

Heat resistant gloves.

Suitable material

leather gloves

Eye protection

Tightly fitting safety goggles.

Skin and body protection

Wear face-shield and protective suit for abnormal processing problems.

Material Safety Data Sheet



Revision Date
Revision Number

02-Jan-2010
3.00

product code TP06

Topas Toner

Thermal Hazard

When handling hot material, use heat resistant gloves. Heat only in areas with appropriate exhaust ventilation.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	granules
Colour	colourless
Odour	odourless
Softening point	>60 °C/ >140 F
Bulk density	550 - 600 g/l
Method	DIN 53466
Vapour pressure	< 0.001 mm Hg @25°C (77 F)
Water solubility	insoluble
VOC Content(%)	< 0.5 % (wt/wt)

10. STABILITY AND REACTIVITY

Stability

Stable under normal conditions of handling, use and transportation.

Hazardous reactions

Hazardous polymerisation does not occur.

Conditions to avoid

Avoid temperatures above 350 °C / 662F. Risk of decomposition.

Materials to avoid

oxidizing agents.

11. TOXICOLOGICAL INFORMATION

Principle Routes of Exposure

Inhalation, Eye contact, Skin contact

Note

No toxicology information is available. Handle in accordance with good industrial hygiene and safety practice.

Material Safety Data Sheet



Revision Date
Revision Number

02-Jan-2010
3.00

product code TP06

Topas Toner

12. ECOLOGICAL INFORMATION

Note

No information on ecology is available. According to our experience and to the information provided to us, the product does not have any harmful effects if it is used and handled as specified.

13. DISPOSAL CONSIDERATIONS

Product Information

Where possible recycling is preferred to disposal or incineration. May be taken to waste disposal site or incineration plant, with household waste. Rules of the local authorities must be observed.

Uncleaned empty packaging

Regulations concerning reuse or disposal of used packaging materials must be observed.

14. TRANSPORT INFORMATION

ICAO/IATA

Not restricted

IMDG

Not restricted

D.O.T. (49CFR)

Not restricted

15. REGULATORY INFORMATION

OSHA Regulatory Status

This material is non-hazardous as defined by the American OSHA Hazard Communication Standard (29CFR 1910.1200).

Federal Regulations

This product complies with U.S. Toxic Substance Control Act (TSCA)

SARA 313 Chemicals

Contains no substances at or above the reporting threshold under Section 313.

16. OTHER INFORMATION

Material Safety Data Sheet



Revision Date 02-Jan-2010
Revision Number 3.00

product code TP06

Topas Toner

16. OTHER INFORMATION

Revision Date 02-Jan-2010
Issuing date 24-Jan-2010

Training advice

For effective first-aid, special training / education is needed.

Hazard Rating Systems

NFPA (National Fire Protection Association)

Health Hazard	1
Fire Hazard	1
Reactivity	0

HMS (Hazardous Material Information System)

Health Hazard	0
Flammability	1
Physical Hazard	0

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on Topas owned data and public sources deemed valid or acceptable. The absence of data elements required by ANSI or 2001/58/EC indicates, that no data meeting these requirements is available.

Further information for the safety data sheet

For more information, consult the Technical Data Sheet (www.topas.com). Changes against the previous version are marked by ***.

Disclaimer

The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. Topas Advanced Polymers, Inc. makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials. User has sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards